

**CONTRIBUTIONS
OF THE
UNIVERSITY OF CALIFORNIA
ARCHAEOLOGICAL RESEARCH FACILITY**

Number 16

October, 1972

**STUDIES IN THE ARCHAEOLOGY
OF MEXICO AND GUATEMALA**

Edited by John A. Graham

**UNIVERSITY OF CALIFORNIA
DEPARTMENT OF ANTHROPOLOGY
BERKELEY, CALIFORNIA**

CONTRIBUTIONS OF THE
UNIVERSITY OF CALIFORNIA
ARCHAEOLOGICAL RESEARCH FACILITY

Number 16

October, 1972

STUDIES IN THE ARCHAEOLOGY OF MEXICO AND GUATEMALA

Edited by John A. Graham

UNIVERSITY OF CALIFORNIA ARCHAEOLOGICAL RESEARCH FACILITY

Department of Anthropology

Berkeley

CONTENTS

PREFACE	i
I. MAYA HIGHLAND PREHISTORY; NEW DATA AND IMPLICATIONS by Richard E. W. Adams	1
II. ARCHAEOLOGICAL INVESTIGATIONS IN THE NORTHERN MAYA HIGHLANDS: NEW DATA ON THE MAYA PRECLASSIC by David W. Sedat and Robert J. Sharer	23
III. RADIOCARBON DATES FROM COPAN, HONDURAS by John A. Graham and Rainer Berger	37
IV. THE RECORDING OF MAYA SCULPTURE by John A. Graham and Steven R. Fitch	41
V. THE NINE LORDS OF THE NIGHT by David H. Kelley	53
VI. PRELIMINARY REPORT ON EXCAVATIONS IN THE ARCHEOLOGICAL ZONE OF RIOVERDE, SAN LUIS POTOSI, MEXICO by Rudolph C. Troike, Nancy P. Troike and John A. Graham . .	69
VII. NOTES ON THE RUINS OF IXTUTZ, SOUTHEASTERN PETEN by Merle Greene Robertson (with an Appendix by John A. Graham)	89
VIII. TRACE ELEMENT ANALYSIS OF OBSIDIAN FROM THE SITE OF CHOLULA, MEXICO by Thomas R. Hester, Robert N. Jack and Robert F. Heizer . .	105
IX. SOURCES FOR THE OBSIDIAN AT THE RUINS OF SEIBAL, PETEN, GUATEMALA by John A. Graham, Thomas R. Hester and Robert N. Jack . . .	111
X. GEOLOGIC SOURCES OF ARCHAEOLOGICAL OBSIDIAN FROM SITES IN NORTHERN AND CENTRAL VERACRUZ, MEXICO by Robert N. Jack, Thomas R. Hester and Robert F. Heizer . .	117

PREFACE

With the present volume, a total of 16 numbers of the Contributions of the University of California Archaeological Research Facility have appeared during the eight years since the series was inaugurated in 1965. The first volume was Sources of Stone Used in Prehistoric Mesoamerican Sites, but subsequent volumes have alternated somewhat irregularly between Mexican and Central American archaeology on the one hand, California and Great Basin archaeology on the other, an aim set forth in the editorial announcement of the series's founding. Originally, Contributions were distributed upon a gratis basis. But severe budgetary reductions imposed upon the Facility required that a modest charge be made for subsequent numbers, and it has been the proceeds from these sales that have been a major factor enabling the Facility to maintain publication in these difficult times. Most past numbers of the Contributions have become out-of-print shortly after appearance, perhaps an indication of their success.

The first volume of the Contributions contained two papers exploring the feasibility and potentials of x-ray fluorescence analysis in the identification of obsidian types and their sources, one line of investigation that has continued to be pursued and refined through subsequent numbers of the series into the present volume. Two symposia have seen the light of publication in the Contributions: "The Emergence of Civilization in Mesoamerica," organized by R. F. Heizer and J. A. Graham and held at Burg Wartenstein, Austria, in July of 1970 under sponsorship of the Wenner-Gren Foundation for Anthropological Research (Contribution 11), and "The Application of the Physical Sciences to Archaeology" (Contribution 12), a symposium held on June 23, 1970 under the auspices of the Pacific Division of the American Association for the Advancement of Science, the California Section of the American Chemical Society, and the San Francisco Society of the Archaeological Institute of America. Although most of the papers appearing in the Contributions series have been authored by associates and students working in the Archaeological Research Facility, it has been possible at times to include important papers prepared by colleagues at other institutions, as in the case of the present volume.

With the exception of the two papers on trace-element analyses of obsidian samples from Cholula and Veracruz, the present volume of studies is devoted entirely to Maya archaeology. The collection represents a geographical range extending from the Huastec Maya zone in San Luis Potosi to the Guatemalan highlands and Honduras and embraces a temporal range from earliest levels to the ethnohistoric period as well as including a review of methods of recording Maya sculpture in the modern epoch of study and research.

John A. Graham
Berkeley

X. GEOLOGIC SOURCES OF ARCHAEOLOGICAL OBSIDIAN
FROM SITES IN NORTHERN AND CENTRAL VERACRUZ, MEXICO

Robert N. Jack, Thomas R. Hester, and Robert F. Heizer

A sample of 102 obsidian artifacts from central and northern Veracruz, Mexico, has been analyzed by rapid-scan x-ray fluorescence techniques (cf. Hester, Jack and Heizer 1971:93) for the trace elements rubidium (Rb), zirconium (Zr) and strontium (Sr). Results of these analyses are plotted in Figure 2. The obsidian was obtained from the sites of Cempoala, Quiahuitzlan and El Tajin (Figure 1) during a research trip in the winter of 1970. All of the specimens are from surface contexts, but since nothing has been published regarding the geologic obsidian sources represented at sites in this area of Veracruz, we feel that it may be useful to make our findings available. Obsidian types discussed here are identical to those used by Hester Jack and Heizer (1972).

Thirty-nine obsidian specimens (blades, flakes and fragments) were secured from the site of Cempoala, the 16th century Totonac center located 25 miles above the city of Veracruz. Three distinct obsidian types were recognized: type A (23.1%; Cerro de las Navajas, Hidalgo); type D (33.3%; Zaragoza, Puebla); and, type E (43.6%; Cerro de Minas, Puebla).

The site of Quiahuitzlan is about 15 miles north of Cempoala. Most of the archaeological remains at this site can be attributed the Postclassic period. Fifty-six obsidian specimens-blades, flakes, and a blade core-were analyzed. The bulk of the sample (71.4%) is of type D (Zaragoza) obsidian. Type E (Cerro de Minas) obsidian constitutes 21.4% of the sample, with the remainder representing type A (1.8%; Cerro de las Navajas), the unidentified type B source (1.8%) and two specimens (3.6%) which fall outside the limits of previously recognized types.

Seven obsidian artifacts (blades and blade fragments) from the site of El Tajin were submitted to us by Mr. and Mrs. Ray Krotser; these specimens probably date from the Classic period. Six (85.7%) are of Zaragoza

obsidian, and the seventh is of type F, the geologic source of which remains unknown.

It is apparent from our data that the obsidian source located in the vicinity of Zaragoza, Puebla, was used quite heavily by each of these three Veracruz sites. This is not surprising in view of the proximity of this source; for example, the distance from Zaragoza to Cempoala is ca. 70 miles, to Quiahuitzlan, about 65 miles, and to El Tajin, only 45 miles. As we have earlier reported (Hester, Jack and Heizer, 1971; Hester, Jack and Heizer, 1972), Zaragoza obsidian is also a major type at the site of Tres Zapotes in southern Veracruz, and at Cholula in the central Mexican highlands. The predominant source at Cempoala is that of Cerro de Minas, lying 70 miles to the southwest. Also at Cempoala, there is a relatively large amount of the green obsidian characteristic of Cerro de las Navajas (Pachuca), about 100 miles to the northwest.

It is now well established that the Zaragoza obsidian source was much used by the occupants of sites in central and southeastern Mexico. We reiterate our awareness that archaeological site-geologic source correlations alone provide limited insight since sites occupied for long periods of time may have secured different materials at different times. Only stratigraphically controlled obsidian samples can throw light on this matter. Although we are now learning a great deal about the distribution of this type of obsidian, we still know very little about the source itself. It would be very useful if someone could carry out further studies at the source, and provide details on the nature and extent of the obsidian deposits. In addition, more extensive trace element analyses of source samples should be conducted so that we can more precisely define the chemical limits of this obsidian type.

We have now published a series of papers on x-ray fluorescence analysis of Mesoamerican obsidian. Many of the data obtained by these studies are summarized in Stross et al. (in press). However, for the reader's convenience we have prepared Table 1, in which we have listed the results of many of our recent analyses.

Table 1.

Distribution of Obsidian Types at Sites in Mesoamerica.
All figures are in percent.

	(Cerro de las Navajas, Hidalgo)	(Unknown)	(Probably San Martin Jilotepeque)	(Zaragoza, Puebla)	(Cerro de Minas, Puebla)	(Unknown)	(Guadalupe Victoria, Puebla)	IXTE-PEQUE	EL CHAYAL	OTHER ¹
	A	B	C	D	E	F	G			
SEIBAL			42.9	7.1				7.1	35.7	7.1
LA VENTA (Excav.)	21.0	31.6	42.1							5.3*
LA VENTA (Surf.)	12.3	43.5	27.5	1.8	5.1	1.1	3.6			5.1*
CHOLULA	18.0	14.6		53.9	3.4	2.2	7.9			
TRES ZAP.	0.2	1.5	0.5	93.1	0.7	1.7	1.4			0.9
EL TAJIN				85.7		14.3				
QUIAHUITZLAN	1.8	1.8		71.4	21.4					3.6
CEMPOALA	22.2			33.3	44.4					
CERRO DE LAS MESAS				18.8	75.0		6.2			

* Probably includes some El Chayal samples.

¹ This category includes obsidian types that have yet to be defined. Samples from La Venta (surface and excavated) may actually be derived from El Chayal, but this is not certain.




Figure 1. Geologic obsidian sources and archaeological sites in central and northern Veracruz, Mexico.




Figure 2. Plotted results of rapid-scan analysis of obsidian artifacts from central and northern Veracruz, Mexico. Each point represents the relative Rubidium (Rb) K-alpha, Strontium (Sr) K-alpha, and Zirconium (Zr) K-alpha intensities for one artifact.

Bibliography

- Hester, T. R., R. N. Jack and R. F. Heizer
1971 The Obsidian of Tres Zapotes, Veracruz, Mexico. Contributions,
University of California Archaeological Research Facility 13:
65-131.
- Hester, T. R., R. N. Jack, and R. F. Heizer
1972 Trace Element Analysis of Obsidian From the Site of Cholula,
Puebla (this volume).
- Stross, F. H., T. R. Hester, R. F. Heizer and R. N. Jack
(in press) Chemical and Archaeological Analysis of Mesoamerican Obsidian.
In Advances in Obsidian Glass Studies: Archaeological and Geo-
chemical Perspectives (R. E. Taylor, editor).